



Technical Textiles Inc.

PN# 1200131127LX PW




## Berlin-LX PW

- **Purpose:** Conductive fabric for general use
- **Description:** Nickel/Copper (Ni/Cu) plated fabric, with conductive protective C2 (Black) coating on one side. Extreme high flexibility, advanced durability and reduced stress cracking.
- **Raw material:** Polyester plain weave fabric
- **Surface Resistivity:** < 0.5 Ohms / □
- **RF Shielding Effectiveness:** Average 85 db from 30Mhz to 10Ghz
- **Abrasion Resistance:** 200,000 Cycles
- **Temperature Range:** -40°C to 100°C / -40°F to 212°F
- **Total Thickness:** 0.004" (0.10mm) ± 10%
- **Weight:** 68g/m2 +/- 10%
- **Number of Splices:** 1/200 Lm nominal
- **Roll Widths:** 52" (132cm) ± 1"
- **Master Roll Lengths:** Average 100 Lm / 109 Lyd



### PRODUCT APPLICATION EXAMPLES

- ⇒ RF Shelters
- ⇒ Base material for EMI/RFI gaskets
- ⇒ Base material for EMI/RFI garments
- ⇒ Shielding material for laminated flat I/O shielding panels
- ⇒ EMI/RFI cable shielding
- ⇒ Medical electrodes
- ⇒ Finger tips for smart gloves



**Accreditations:**  
 RoHS: Compliant  
 Reach: Compliant  
 Acc. ISO 9001:2000



Technical Textiles Inc.

**A Woman's Owned Small Business**

V Technical Textiles, Inc  
 4502 State Rt. 31  
 Palmyra, NY 14522  
 Phone: 315-597-1674  
 Fax: 315-597-6687  
 Web: www.vtechtextiles.com  
 Email: whoge@rochester.twcbc.com

