





Shieldex® Tulle

- **Purpose:** Conductive knitted fabric for general use. Antibacterial, Antiodor, and Fungicidal. Excellent thermal conductivity.
- **Description:** Silver (Ag) plated knitted Nylon fabric.
- **Plating:** 99% pure silver.
- **Surface Resistivity:** < 1.4 Ω / □
- **RF Shielding Effectiveness:** Average 42 dB from 200MHz to 10GHz
- **Temperature Range:** -40°C to 100°C / -40°F to 212°F
- **Total Thickness:** 0.009" (0.23mm) ± 10%
- **Abrasion Resistance:** 10,000 cycles
- **Weight:** 33 g/m² ± 5 g/m²
- **Roll Widths:** 57" ± 2" (145cm)
- **Master Roll Lengths:** Average 100 Lm / 109 Lyd



PRODUCT APPLICATION EXAMPLES

- ⇒ Transparent base material for front and back projection theatre cycloramas. Tulle bobbinet is easy to sew and does not ravel under normal conditions
- ⇒ Base material for medical garments
- ⇒ Wound dressing
- ⇒ EMI/RFI shielding



V Technical Textiles, Inc
4502 State Rt. 31
Palmyra, NY 14522
Phone: 315-597-1674
Fax: 315-597-6687
Web: www.vtechtextiles.com
Email: info@vtechtextiles.com



V Technical Textiles Inc.

NWBOC® NWBOC®
WBE CERTIFIED EDWOSB CERTIFIED

Statex Produktions
-und Vertriebs GmbH
Kleiner Ort 11 28357
Bremen Germany
Tel: +49 421 27 50 47
Fax: +49 421 27 36 43
info@statex.de